

Accessories

Mini-Hoses and Portable Reels For Indoor Jetting



Mini-Hoses / Trap Kits

Add to any Jettters Northwest Jetter for indoor jetting of sink/laundry lines, floor drains, and P-traps. Select hand or foot operated flow controls or a ball valve to add to your kit.

We also have a variety of nozzles designed for use with our 1/8, 3/16, and 1/4 inch hoses.

All Hoses shown are rated for 4000-5000 PSI!

Part Number	Size x Length	Color	O.D.	Thread Size	Material
JNW-HOSE-1/8	1/8 x 50ft.	Green	.325 in.	1/8-NPT	Poly-Nylon
JNW-TRAPHOSE-4SS	3/16 x 50ft.	S.S Braid	.310 in.	1/8 x 1/4 NPT	Stainless-Teflon
JNW-TRAPHOSE-4SS-75	3/16 x 75ft.	S.S. Braid	.310 in.	1/8 x 1/4 NPT	Stainless-Teflon
JNW-HOSE-3/16	3/16 x 75ft.	Black	.420 in.	1/8 x 1/4 NPT	Poly-Nylon
JNW-HOSE-1/4	1/4 x 100	Red	.500 in.	1/4-NPT	Poly-Nylon

Portable Reels

Add a portable reel to your jetter to allow for remote and indoor jetting.

All Jettters Northwest portable reels come with a flow control valve mounted to the reels inlet to turn the flow on and off remotely. Choose from the selection below, or we can customize a portable reel from a variety of reels, hose sizes, and lengths.

Each reel comes with 2 basic jetting heads, penetrator and flusher

Part Number	Hose Size	Pressure	Flow Control
JNW-PR1/4-150	1/4 x 150 ft.	5000 PSI	Yes
JNW-CR1/4-200	1/4 x 200 ft.	5000 PSI	Yes
JNW-CR3/8-200	3/8 x 200 ft.	4000 PSI	Yes



www.JETTTERS.NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119



Jetting Nozzles

Standard and High Efficiency



Custom Drilled Nozzle Kit

Low Cost Nozzles, yet custom drilled/sized to your Jettters Flow (GPM) and Pressure (PSI). We even account for pressure drop according to your hose size and length. Kits are available with 3, 4, 5, or 6 Nozzles included and come with a tip cleaner and storage box.

The 4 Nozzle Kit is included with our Jetter machines.

Style	Size	# of Jets	Angle of Jets	Purpose
Button Nozzle	1/8-1/2 NPT	No Front 6 Back	35 deg.	Basic Cleaning of flowing drains
Round Hex	1/8-1/2 NPT	1 Front 4 Back	20 deg.	Basic Clearing of Clogged drains
Jet Nozzle	1/8-1/2 NPT	3 Front 6 Back	10 deg.(F) 35 deg.(R)	Pushing, De-Greasing and De-Icing
Rotator	1/8-1/2 NPT	2 Rear Rotating	45 deg.	Final Polishing/Flushing of loose debris
Dual Angle	1/4-1/2 NPT	1 Front 6 Back	3@25 deg. 3@45 deg.	2 angles of spray for cleaning and thrust
Cornering	1/8-1/2 NPT	1 Side 6 Back	1@90 deg. 6@45 deg.	Side nozzle cornering for traps or tee's

High Efficiency Nozzles and Kits

Get the most from any Jetter with a high efficiency nozzle or kit. Replaceable ceramic or steel inserts (on tier 2 nozzles) and improved hydro-dynamics (tier 3 nozzles) direct the water into a more effective cleaning stream. *Let us build a Kit for your Jetter*

Tier 2 Sizes from 1/4-NPT and up, Tier 3 sizes from 3/8-NPT



Basic Nozzles

Basic steel nozzle, with or without forward jets, rear jets number from 3-6 depending on the GPM/PSI or your machine, custom drilling is not available. 1/8 inch sizes are 35 deg. Rear angle, 1/4 and 3/8 sizes are available in 15 deg. Max thrust or 30 deg. Cleaning patterns.

2 Basic nozzles are included with our portable reel carts.

www.JETTTERS.NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119

Jetting Nozzles

Penetrating Nozzles



Chisel and Drill Point Nozzles

For aggressive clog busting and de-greasing. Multiple rear jets thrust the nozzle forward while 4 forward jets break up tough blockages. The sharp hardened edges work with your jettters' pulsation to chisel away at harder clogs like gravel, ice, and more.

Available in a drill tip model for penetrating grease and root clogs

Part Number	Drill Tip	Size	Jets	Inserts
JNW-1/4-CHISEL	Not Available	1/4-NPT	1 Fwd./4 Rear	Drilled (Tier 1)
JNW-3/8-CHISEL	Optional	3/8-NPT	4 Fwd./4 Rear	Drilled (Tier 1)
JNW-1/2-CHISEL	Optional	1/2-NPT	4 Fwd./6 Rear	Ceramic (Tier 2)

De-Greasing/Pushing Nozzles

3 Forward jets at 10 deg. angles scour the pipe in front of the nozzle rather than behind. This is useful for removing clinging grease deposits, de-icing frozen pipes, or pushing debris forward into a larger main line. 6 Rear jets provide thrust.

Available in 1/4-1/2 inch sizes, and as part of our standard 4 nozzle kit, all pushing nozzles are custom drilled to match your jetter. Part Number JNW-x/x-PUSHER



Custom Drilled Penetrating Nozzles

Short, compact design custom drilled to fit your Jetter. 1 forward jet for breaking clogs and 4 rear jets for thrust.

Available in 1/8-1/2 inch sizes, and as part of our standard 4 nozzle kit, Drilled to match your jetter. Part Number JNW-x/x-PENETRATOR

Basic Penetrating Nozzles

High thrust angles get to the clog fast. Basic steel nozzle, with 1 forward jet, rear jets number from 3-6 depending on the GPM/PSI or your machine, custom drilling is not available. Lance tip style is available in 1/2 inch only with or without 4 side jets.



www.JETTTERS.NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119



Jetting Nozzles

Cleaning/Flushing Nozzles

High Efficiency Cleaner/Flushers

Heavy Duty cleaning nozzles designed with replaceable steel or ceramic inserts. The inside shape of the body helps to direct the water to each jet reducing turbulence and resulting in a more concentrated water stream that carries its cleaning power farther away from the nozzle. **Allows your jetter to work in larger drains than with standard drilled nozzles.**

Available in Tier 2 and Tier 3 Versions, 3/8-NPT and larger



Part Number	Sizes	Jets Fwd./Rear	Cleaning Angle	Inserts
JN.x/x-HE FLUSHER	3/8-1/2 NPT	1(opt.) Fwd/6 Rear	3) 15deg. 3) 25deg.	Ceramic or Steel (Tier 2)
JN.x/x-HE CLEANER	3/8-1/2 NPT	1(opt.) Fwd/6 Rear	3) 15deg. 3) 25deg.	Ceramic or Steel (Tier 3)
JN.x/x-TRACTION	3/8-1/2 NPT	1(opt.) Fwd/6 Rear	3) 8deg. 3) 12deg.	Ceramic or Steel (Tier 3)
JN.x/x-EGG	1/4-1/2 NPT	1 Fwd/ 6 Rear	6) 35 deg.	Ceramic or Steel (Tier 2)



Custom Drilled Cleaner/Flushers

Button Nozzle can be drilled with up to 6 rear jets, at different cleaning angles. They come in our standard 6) rear 0) front, or our dual angle design with 3) 25deg. 3) 45deg and 1 front jet. Many other drilling patterns are available.

Available in 1/8-1/2 inch sizes, and as part of our standard 4 nozzle kit. Custom drilled to match your jettters' GPM/PSI

Part Number	Sizes	Jets Fwd./Rear	Cleaning Angle
JN.x/x-BUTTON	1/8-1/2 NPT	0 Fwd/6 Rear	35 deg.
JN.x/x-DUAL ANGLE	1/8-1/2 NPT	1 Fwd/6 Rear	3) 25 deg. 3)45 deg.

Basic Cleaner/Flusher Nozzles



35 deg. Angle Cleaning/Flushing pattern in a basic steel nozzle, available with 1 forward jet (cleaning), or no forward jet (flushing). Rear jets number from 3-6 depending on the GPM/PSI or your machine, custom drilling is not available.

Available is sizes from 1/8-NPT up to 1/2-NPT

www.JETTERS NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119

Jetting Nozzles

Spinning Nozzles



Warthog Nozzles



The original controlled rotation nozzle is still the best and most reliable. Slow rotation keeps the high efficiency jet from bending and losing impact before it does its work. Quickly breaks up grease and cuts roots. None of the jettters' water flow is lost to lubricating the tool; rather it's all concentrated into 3 powerful cleaning/cutting jets. ***WV-1/4 model is "free spinning"*

A valuable addition to any Jettters toolbox, our #1 accessory recommendation.

Part Number	Size	GPM	Pressure	Pipe Diameter
SA.WV-1/4**	1/4 NPT	3-8	4000	2-4 Inch
SA.WT-3/8-R60C	3/8 NPT	4-8	5000	3-6 Inch
SA.WT-3/8-R31C	3/8 NPT	8-12	5000	3-6 Inch
SA.WS-1/2	1/2 NPT	8-20	5000	4-8 Inch
SA.WH-x/x	1/2-3/4 NPT	10-45	8000	6-18 Inch

Specialty Spinning Nozzles

For a step above the normal spinner nozzle try the JNW Specialty Spinner. The water lubricated, free rotating nozzle uses the angle of the jets to slightly slow the rotation of the nozzle for more effective cleaning without the needed maintenance or expense of a controlled rotation nozzle. Available in forward facing and rear facing patterns.

The 1/2 inch model shown measures only 2-3/8 in. long and 1-1/2 in. diameter.



Basic Spinner Nozzles

Our Basic spinner is available in a custom drilled model with stainless steel rotating collar or a lower cost stock sized brass model. Water lubricated and free spinning, these nozzles are used for final debris removal or "polishing" of drains already cleaned by other tools.

Available in 1/8-1/2 inch sizes, and as part of our standard 4 nozzle kit. Can be custom drilled to match your jettters' GPM/PSI

www.JETTTERS.NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119



Jetting Nozzles

Chain Cutters

Heavy Duty Chain Cutter

Our Heavy-Duty Chain cutters handle the toughest jobs in 2-4 inch pipe, up to 6 inch with optional 6 inch centralizer. (4 inch centralizer is included) Other models are available for use in larger diameter lines and with high GPM trailer jettters and flusher trucks. Use for grease, roots, and scale. Will also cut protruding taps.

Shown with the included 4 inch skid and inlet swivel, run without the skid for smaller lines and 4 inch 90 deg. bends.



Turbo Chain Cutter/Combo

The Turbo Chain cutter and combo (with drill head) comes in 1/2-3/4 inlet sizes. Turbine drive makes for higher chain RPM and allows the tool to be used on smaller jettters down to 8 GPM with 3/8 inch hose. Turbine drive gives the tool more torque, and water is not lost to lubrication.

Install the optional drilling head to power through dense roots, before using the chain head

Part Number	Inlet Size	Pipe Diameter	GPM/PSI	Chain Size
JNW-1/2-HD	1/2 NPT	2-6 Inch	10-20/3000 max	ISO-084 (1/2x3/16HD)
JNW-1/2-TURBO	1/2 NPT	2-6 Inch	8-20/4000 max	ISO-05B (8x3 mm)

www.JETTERS NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119

Accessories

Jetting Tools



Jetting Hose

We carry an assortment of the best hoses we've found from the best manufacturers, whether you're replacing a hose on your Jettters Northwest machine or any other, we have the hose you need.

Many standard lengths in stock from 50-500 ft.

Part Number	Size (I.D.)	Color	PSI (Burst Pressure)	Thread Size	Material
JNW-HOSE 1/2	1/2 Inch	Green	4000 (16,000)	1/2-NPT	Poly/Aramid
JNW-HOSE 3/8	3/8 Inch	Green	4000 (3/8-NPT	Poly/Nylon
P.LL06-xxx-5K	3/8 Inch	Red	5000 (3/8-NPT	Poly/Nylon
P.LL04-xxx-5K	1/4 Inch	Red	5000	1/4-NPT	Poly/Nylon
PF4600-03	3/16 Inch	Black	4000	1/4x1/8	Poly/Nylon
P.LL02-xx-4K	1/8 Inch	Green	4000	1/8-NPT	Poly/Nylon



Foot Pedal Control

Use to start and stop the flow from your jetter while using a portable reel or trap hose kit. Standard kit comes with quick connections and 5 ft. high pressure jumper hose. 2 models to choose from.



Part Number	GPM	PSI
JNW-FC12/5000	12	5000
JNW-FC8/3000	8	3000

www.JETTERS NORTHWEST.com

Call Jettters Northwest at 1-877-901-1936 or E-Mail info@jetttersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119

www.JETTERS NORTHWEST.com

Call Jeters Northwest at 1-877-901-1936 or E-Mail info@jetersnorthwest.com

A Division of Seattle Pump and Equipment 2222 15th Ave West Seattle, Washington 98119